# Xerox<sup>®</sup> AltaLink<sup>®</sup> Color Multifunction Printer

Smart, secure and connected Workplace Assistant.



C8030/C8035/C8045/C8055/C8070





# Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer

Xerox<sup>®</sup> AltaLink devices provide new levels of capability and connectivity for mid-size and large workgroups and busy offices. With AltaLink, your extended workforce has instant and secure access to the documents, data and workflows it needs to work faster and more efficiently — from every location and with any device.

# SMART AND PRODUCTIVE

From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® AltaLink C8000 Series is the color multifunction device today's workers have been waiting for.

Easy to manage as a standalone device or as part of an entire fleet, it's designed to enable fast multitasking and collaboration. Create customized 1-Touch Apps to automate multi-step workflows. Simply tap your new app to quickly perform the job you configured. And save time by scanning to multiple destinations, including a USB drive, network location and SMB share location, all in one operation.

With the touch of a button, you can go to our Xerox App Gallery and download simple, yet powerful, serverless apps to your AltaLink® device to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including Xerox®@printbyXerox App, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Airprint®, Mopria® and optional Wi-Fi Direct® provides the time-saving convenience your workforce wants and needs.

# POWERFUL AND SCALABLE

Provide interactive training and support right from your desktop with our remote control panel. Enable serverless fleet management with Fleet Orchestrator. Configure a single device once, then let the Fleet Orchestrator deploy and manage configurations automatically and share automated workflows across devices. Fewer maintenance hassles, less IT support, high-capacity paper trays and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing and faxing can be done simultaneously, allowing for multitasking during peak periods — and your choice of finishing options means you can configure your AltaLink device for any work environment and any document type, including booklets, brochures and pamphlets.

## BUILT-IN SECURITY

Enjoy comprehensive security through our strategic approach to preventing intrusions and keeping documents and data safe. Our partnerships with McAfee® and Cisco® proactively address risks at the individual device, fleet and network level.

By interacting with the market-leading McAfee® DXL and Cisco® pxGrid platforms, Xerox® AltaLink devices employ an orchestrated response that neutralizes threats at their source the moment they occur.

Multiple layers of security include data encryption, disk overwrite and industry certifications. The innovative Configuration Watchdog ensures your AltaLink devices remain configured in accordance with your security policies.

# COLOR WHERE IT COUNTS

With high resolution output of 1200 x 2400 dpi, photo-quality color images and crisp text will give your documents clarity and impact. You can also upgrade your AltaLink C8000 Series with the Xerox® EX-c C8000 Print Server Powered by Fiery<sup>®</sup>, enabling office users to quickly, efficiently and cost effectively print professionallooking documents.

# XEROX<sup>®</sup> CONNECTKEY<sup>®</sup> TECHNOLOGY

#### Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesturebased touchscreen controls and easy customization.

#### Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

#### **Benchmark Security**

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

#### **Enables Next Generation Services**

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

## Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at **www.ConnectKey.com**.

## FINISHING APPLICATIONS





# CHOOSE THE CONFIGURATION THAT MEETS YOUR NEEDS

- 1 Single-Pass Duplex Automatic Document Feeder (DADF) saves time by simultaneously scanning both sides of two-sided documents at up to 139 impressions per minute.
- **2 Convenience Stapler** (optional) staples up to 50 sheets of 20 lb/80 gsm media.
- **3** Bypass Tray handles up to 100 sheets of 20 lb/80 gsm, also feeds up to 110 lb Cover/300 gsm media.
- **4 Two 520-sheet adjustable trays** (standard with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.
- **5** Envelope Kit (optional replaces Tray 1) provides trouble-free feeding of up to 60 envelopes.
- **6 High-Capacity Tandem Tray Module** (optional) brings the total paper capacity up to 3,140 sheets.
- **7 Four Tray Module** (optional with C8030/C8035) holds a total of 2,180 sheets.
- 8 High-Capacity Feeder (optional) holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.
- **9** Business Ready (BR) Finisher (optional) gives you advanced finishing functions at a great value.





- 10 BR Booklet Maker Finisher (optional) provides advanced finishing with the capability to create 64-page saddle-stitched booklets (2 to 16 sheets).
- 11 C-Fold/Z-Fold Unit (optional) adds three folds: C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.
- 12 Offset Catch Tray (OCT) (standard on all configurations and included with all finishers).
- 13 Integrated Office Finisher (optional with C8030/C8035) provides 500-sheet stacking and 50-sheet, single-position stapling.
- 14 Office Finisher LX (optional with C8030/C8035/ C8045/C8055) gives you advanced finishing functions at a great value, and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).
- 15 Xerox<sup>®</sup> Integrated RFID Card Reader E1.0 (optional) adds card-based authentication with support for over 90 access cards.
- **16 Near Field Communication (NFC) Tap-to-Pair** allows users to tap their mobile device to the AltaLink® C8000 user panel and instantly connect with the MFP.





# INTRODUCING MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Meet our all-new, 10.1-inch color touchscreen — the user interface that sets a higher standard for customization, ease of use and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing commonly used functions front and center. Don't like where a function or app is located? Want faster access to app settings? Easily customize the touchscreen's layout to make it yours.

This unmatched balance of hardware technology and software smarts helps everyone who interacts with the AltaLink<sup>®</sup> C8000 Series get more work done, faster. Try our new UI at www.xerox.com/AltaLinkUI.

# Xerox<sup>®</sup> AltaLink C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer

ConnectKey®

Technology

DEVICE SPECIFICATIONS	AltaLink <sup>®</sup> C8030	AltaLink <sup>®</sup> C8035	AltaLink <sup>®</sup> C8045	AltaLink <sup>®</sup> C8055	AltaLink <sup>®</sup> C8070
Speed (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 50/55 ppm	Up to 70/70 ppm
Monthly Duty Cycle*	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages
lard Drive/Processor/Memory			z/2 MB Cache/8 GB system mem		
Connectivity	10/100/100Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct <sup>®</sup> with optional Xerox <sup>®</sup> USB Wireless Adapter, NFC Tap-to-Pair				
ptional Controller	Xerox® EX-c C8000 Print Server Powered by Fiery®				
opy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi				
irst-Copy-Out Time (as fast as)	8.1 seconds color/6.7 second		7.8 seconds color/6.4	7.2 seconds color/5.7	5.2 seconds color/4.9
	8.1 seconds color/6.7 second	as black-and-white			
from platen/warmed-up state)	6.5. 1. 1. (5.2)		seconds black-and-white	seconds black-and-white	seconds black-and-white
First-Print-Out Time (as fast as)	6.5 seconds color/5.3	6.4 seconds color/5.2	6.5 seconds color/5.3	6.0 seconds color/4.7	4.7 seconds color/4.0
	seconds black-and-white	seconds black-and-white	seconds black-and-white	seconds black-and-white	seconds black-and-white
age Description Languages	Adobe® PostScript® 3™, Adobe PDF version 1.7, PCL® 5c/PCL 6, Optional XML Paper Specification (XPS)				
aper Input Standard	Single-Pass Duplex Automatic Document Feeder: 130 sheets; Speed: up to 139 ipm (duplex); Sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 19 in./89 x 98 mm to 320 x 483 mm (SEF) Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF)				
	Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF)				
Choose One	Four Tray Module (Trays 3 and 4 — available with C8030/C8035): 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 to 12 x 18 in./				
	140 x 182 mm to SRA3 (SEF)				
	High Capacity Tandem Tray Module: 2,000 sheets; One 867-sheet paper tray and one 1,133-sheet paper tray; Sizes: 8.5 x 11 in./A4				
Optional					
	Envelope Tray (replaces Tray 1): Up to 60 envelopes: #10 Commercial, Monarch, DL, C5				
aper Output/ Standard			attached): 250 sheets each; Fac	e-up Tray: 100 sheets	
inishing Optional	Integrated Office Finisher (Available with C8030/C8035): 500-sheet stacker, 50 sheets stapled, single-position stapling				
Optional	Office Finisher LX (Available with C8030/C8035/C8045/C8055): 2,000-sheet stacker, 50 sheets stapled, Single-position stapling, optional hole punch,				
	optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages))				
	BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching				
	<b>BR Booklet Maker Finisher:</b> 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch				
	booklet making (2 to 16 sheets, 64 pages) and V-folding				
	<b>C-Fold/Z-Fold Unit:</b> Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher				
		heet stapling (based on 80 gs			
	· · · · · · · · · · · · · · · · · · ·	neet stupiing (bused on bogs	m), includes work surface		
NTUITIVE USER EXPI	1				
ustomize		Customization with Xerox® Ap			
rint Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Mobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Nobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Nobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Nobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Nobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Nobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Nobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Nobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Pull Print Drive				
erox <sup>®</sup> Embedded Web Server	PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog				
emote Console/Preview	Remote Control Panel				
rint Features	Print from USB, Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control,				
	Two-sided Printing, Draft Mode				
Scan and Fax	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/				
	Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, F				
	Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR)				
OBILE AND CLOUD R		ig, office, tauless book, ope	ea enaracter need gintion (o en)	·	
Nobile Connectivity	1	ud Print™ Pogdy, Voroy® Print	Sorvico Plug in for Android™ Mo	pria® Print Sorvice Plug in for A	ndroid NEC
Nobile Connectivity	Apple® AirPrint®, Google Cloud Print™ Ready, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android™ Wi-Fi Direct Printing, Xerox® Print Service Plug-in for Android™				
Aphilo Drinting	Xerox® @printbyXerox App, See more at <b>xerox.com/MobileSolutions; Optional:</b> Xerox® Workplace Cloud/Suite Mobile Print Solution.				
Mobile Printing					
	Learn more at xerox.com/MobilePrintApp.				
Cloud Connectivity	Xerox App Gallery; <b>Optional:</b> Connect for Salesforce, Connect for Google Drive <sup>™</sup> , Connect for OneDrive <sup>®</sup> , Connect for DropBox <sup>™</sup> , Connect for Office 365 <sup>™</sup> , Connect for Box <sup>®</sup> and more at <b>xerox.com/CloudConnectorApps</b> .				
	365™, Connect for Box® and	I more at <b>xerox.com/CloudCo</b>	nnectorApps.		
SENCHMARK SECURIT	Y				
Network Security	IPsec, HTTPS, SFTP and End	rypted Email, McAfee® ePolic	y Orchestrator <sup>®</sup> , Network Auther	ntication, SNMPv3, SHA-256 Ha	sh Message Authentication,
	SSL. TLS. Security Certificate	es, Automatic Self-signed Cert	ificate, Cisco® Identity Services E	Engine (ISE) integration, autom	ated threat response through
				5	
		itearation			
)evice Access	McAfee DXL/Cisco pxGrid in			er Permissions Configuration V	Vatchdoa:
Device Access	McAfee DXL/Cisco pxGrid in User Access and Internal Fir	ewall, Port/IP/Domain Filterir	g, Audit Log, Access Controls, Us		
Device Access	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab	ewall, Port/IP/Domain Filterin lement Kit (CAC/PIV/.NET), Xe	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read	er E1.0, NFC standard (authent	ication via
	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab optional Xerox <sup>®</sup> Workplace	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read nt and Content Security; learn m	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b>	ication via <b>Iutions</b> .)
	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab optional Xerox <sup>®</sup> Workplace Encrypted Hard Disk (AES 2	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated)	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read nt and Content Security; learn m and Image Overwrite, McAfee E	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting,	ication via I <mark>lutions</mark> .) McAfee Integrity Control
ata Protection	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab optional Xerox <sup>®</sup> Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verifice	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, splace Cloud/Suite Content Sec	ication via I <mark>lutions</mark> .) McAfee Integrity Control
ata Protection ocument Security	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab optional Xerox <sup>®</sup> Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verifica Common Criteria Certificati	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read nt and Content Security; learn m and Image Overwrite, McAfee E	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, splace Cloud/Suite Content Sec	ication via I <mark>lutions</mark> .) McAfee Integrity Control
ata Protection ocument Security	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab optional Xerox <sup>®</sup> Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verifica Common Criteria Certificati	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, splace Cloud/Suite Content Sec	ication via I <mark>lutions</mark> .) McAfee Integrity Control
Data Protection Document Security	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab optional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verifica Common Criteria Certificati <b>ATION SERVICES</b>	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) Ition, Job Level Encryption via on (ISO 15408), Encrypted Se	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print D	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, place Cloud/Suite Content Sec Drivers	ication via J <b>utions</b> .) McAfee Integrity Control urity
Data Protection Document Security INABLES NEXT GENER Irint Management	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional:</b> Smart Card Enab optional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verificc Common Criteria Certificati <b>ATION SERVICES</b> Xerox® Standard Accounting	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via on (ISO 15408), Encrypted Se ; <b>Optional:</b> Xerox® Workplace	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print E Cloud/Suite, Nuance Equitrac, Yso	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, <u>place Cloud/Suite Content Sec</u> )rivers ft SafeQ, PaperCut and more at	ication via Jutions.) McAfee Integrity Control urity <u>xerox.com/PrintManageme</u> e
Data Protection Document Security NABLES NEXT GENER rint Management	McAfee DXL/Cisco pxGrid in User Access and Internal Fir <b>Optional</b> : Smart Card Enab optional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verificc Common Criteria Certificati <b>ATION SERVICES</b> Xerox® Standard Accounting Xerox® Device Manager, Xei	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ttion, Job Level Encryption via on (ISO 15408), Encrypted Se ; <b>Optional:</b> Xerox® Workplace of rox® CentreWare® Web, Xerox	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read <u>and Content Security; learn m</u> and Image Overwrite, McAfee E <u>HTTPS and Drivers, Xerox® Work</u> cure Print, FIPS Encrypted Print D	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, <u>place Cloud/Suite Content Sec</u> )rivers ft SafeQ, PaperCut and more at	ication via Jutions.) McAfee Integrity Control urity <u>xerox.com/PrintManageme</u> e
Data Protection Document Security INABLES NEXT GENER rint Management leet / Device Management	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional</b> : Smart Card Enab entional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verificct Common Criteria Certificati <b>ATION SERVICES</b> Xerox® Standard Accounting Xerox® Device Manager, Xei Configuration Cloning, Fleet	ewall, Port/IP/Domain Filterin lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via on (ISO 15408), Encrypted Se ; <b>Optional:</b> Xerox® Workplace rox® CentreWare® Web, Xerox Orchestrator	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print E Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, <u>place Cloud/Suite Content Sec</u> )rivers ft SafeQ, PaperCut and more at	ication via Jutions.) McAfee Integrity Control urity <u>xerox.com/PrintManageme</u> l
Data Protection Document Security INABLES NEXT GENER Print Management Fileet / Device Management Sustainability	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir <b>Optional</b> : Smart Card Enab entional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verifica Common Criteria Certificati <b>ATION SERVICES</b> Xerox® Standard Accounting Xerox® Device Manager, Xei Configuration Cloning, Fleet Cisco EnergyWise®, Print Us	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ttion, Job Level Encryption via on (ISO 15408), Encrypted Se ; <b>Optional:</b> Xerox® Workplace of rox® CentreWare® Web, Xerox	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print E Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated	er E1.0, NFC standard (authent ore at <b>xerox.com/WorkplaceSc</b> mbedded Control Whitelisting, <u>place Cloud/Suite Content Sec</u> )rivers ft SafeQ, PaperCut and more at	ication via Jutions.) McAfee Integrity Control urity <u>xerox.com/PrintManageme</u> l
Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management Sustainability GATEWAY TO NEW POS	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir Optional: Smart Card Enab optional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verifica Common Criteria Certificati ATION SERVICES Xerox® Standard Accounting Xerox® Device Manager, Xer Configuration Cloning, Fleet Cisco EnergyWise®, Print Us SIBILITIES	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via on (ISO 15408), Encrypted Se ; <b>Optional:</b> Xerox® Workplace rox® CentreWare® Web, Xerox Orchestrator er ID on Margins, Earth Smart	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print D Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated Print Settings	er E1.0, NFC standard (authent ore at xerox.com/WorkplaceSc mbedded Control Whitelisting, splace Cloud/Suite Content Sec Drivers <u>ft SafeQ, PaperCut and more at</u> d Meter Read, Managed Print S	ication via Jutions.) McAfee Integrity Control urity xerox.com/PrintManagemen ervices Tools,
Data Protection Document Security INABLES NEXT GENER Irint Management leet / Device Management Justainability	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir Optional: Smart Card Enab optional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verificat Common Criteria Certificati ATION SERVICES Xerox® Standard Accounting Xerox® Device Manager, Xei Configuration Cloning, Fleet Cisco EnergyWise®, Print Uss SIBILITIES Go to xerox.com/AppGaller	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via on (ISO 15408), Encrypted Se ; <b>Optional:</b> Xerox <sup>®</sup> Workplace rox <sup>®</sup> CentreWare <sup>®</sup> Web, Xerox Orchestrator er ID on Margins, Earth Smart y to learn how you can expan	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read tt and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print D Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated Print Settings d the capabilities of your MFP ar	er E1.0, NFC standard (authent ore at xerox.com/WorkplaceSc mbedded Control Whitelisting, place Cloud/Suite Content Sec Drivers ft SafeQ, PaperCut and more at d Meter Read, Managed Print S	ication via Jutions.) McAfee Integrity Control urity xerox.com/PrintManagemen ervices Tools, ated apps
Data Protection NABLES NEXT GENER rint Management leet / Device Management ustainability ATEWAY TO NEW PO	McAfee DXL/Cisco pxGrid ir User Access and Internal Fir Optional: Smart Card Enab optional Xerox® Workplace Encrypted Hard Disk (AES 2 (optional), Firmware Verificat Common Criteria Certificati ATION SERVICES Xerox® Standard Accounting Xerox® Device Manager, Xei Configuration Cloning, Fleet Cisco EnergyWise®, Print Uss SIBILITIES Go to xerox.com/AppGaller	ewall, Port/IP/Domain Filterir lement Kit (CAC/PIV/.NET), Xe Cloud/Suite Print Managemen 56-bit, FIPS 140-2, Validated) ation, Job Level Encryption via on (ISO 15408), Encrypted Se ; <b>Optional:</b> Xerox <sup>®</sup> Workplace rox <sup>®</sup> CentreWare <sup>®</sup> Web, Xerox Orchestrator er ID on Margins, Earth Smart y to learn how you can expan ilthcare and more. Available a	g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print D Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated Print Settings	er E1.0, NFC standard (authent ore at xerox.com/WorkplaceSc mbedded Control Whitelisting, place Cloud/Suite Content Sec Drivers ft SafeQ, PaperCut and more at d Meter Read, Managed Print S	ication via Jutions.) McAfee Integrity Control urity xerox.com/PrintManageme ervices Tools, ated apps

\* Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

# For more detailed specifications, including the latest certifications, go to **www.xerox.com/AltalinkC8000Specs**.

©2019 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver® and Mobile Express Driver® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 10/19 PN03658 BR26992 AC8BR-01UI

